

A CMS CONTRACTOR

NOVITAS SOLUTIONS DOCUMENTATION WORKSHEET

Medicare Beneficiary ID Number
Provider Number
Date of Service
Procedure Code Reported
Check one: Agree Disagree
Documented Procedure Code Level

Note: This document is only for determining the level of E/M service for dates of service prior to January 1, 2021 or non-office/outpatient related services. For office/outpatient services on and after January 1, 2021, refer to the Interactive Score Sheet:

JL: https://www.novitas-solutions.com/webcenter/portal/MedicareJL/EMScoreSheet JH: https://www.novitas-solutions.com/webcenter/portal/MedicareJH/EMScoreSheet

Refer to data section (table below) in order to quantify. After referring to data, circle the entry farthest to the *RIGHT* in the table, which best describes the HPI, ROS and PFSH. If one column contains three circles, draw a line down that column to the bottom row to identify the type of history. If no column contains three circles, the column containing a circle farthest to the *LEFT*, identifies the type of history.

After completing this table which classifies the history, circle the type of history within the appropriate grid in Section 5.

	1 0		3 .		31 3				
	HPI: Status of 1 condition	f chronic conditions 2 conditions	3 conditions				Status of 1-2 chronic		Status of 3 chronic
_	(OR					conditions		conditions
	HPI (history o	f present illness) ele	ements:						
~	Location	Severity	☐ Timing		Modifying factors		Brief		Extended
0	Quality	Duration	Context		Associated signs and symptoms		(1-3)		(4 or more)
L S L	Constitution (wt loss, et	nal 🔲 Ears,nose,	GI GU Musculo		Integumentary	None	Pertinent to problem (1 system)	Extended (2-9 systems)	*Complete
Ŧ	PFSH (past medical, family, social history) areas: ☐ Past history (the patient's past experiences with illnesses, operation, injuries and treatments) ☐ Family history (a review of medical events in the patient's family, including diseases which may be hereditary or place the patient at risk) ☐ Social history (an age appropriate review of past and current activities)						None	Pertinent (1 history area)	**Complete (2 or 3 history areas)
*Con	Complete ROS: 10 or more systems or the pertinent positives and/or negatives of some systems with a statement "all others negative".				PROBLEM FOCUSED	EXP.PROB. FOCUSED	DETAILED	COMPRE- HENSIVE	

3 history areas: a) New Patients - Office (Outpatient) Care, Domiciliary Care, Home Care; b) Initial Hospital Care; c) Initial Hospital Observation; d) Initial Nursing Facility Care.

NOTE:For certain categories of E/M services that include only an interval history, it is not necessary to record information about the PFSH. Please refer to procedure code descriptions.

2. Examination

Refer to data section (table below) in order to quantify. After referring to data, identify the type of examination. Circle the type of examination within the appropriate grid in Section 5.

Limited to affected body area or organ system (one body area or system related to problem)	PROBLEM FOCUSED EXAM
Affected body area or organ system and other symptomatic or related organ system(s) (additional systems up to total of 7)	EXPANDED PROBLEM FOCUSED EXAM
Extended exam of affected area(s) and other symptomatic or related organ system(s) (additional systems up to total of 7 or more depth than above)	DETAILED EXAM
General multi-system exam (8 or more systems) or complete exam of a single organ system (complete single exam not defined in these instructions)	COMPREHENSIVE EXAM

	Body areas:				
	☐ Head, including face ☐ Chest, including breasts and axillae ☐ Abdomen ☐ Neck	1 body area or	Up to 7 systems	Up to 7 systems	8 or more systems
2	☐ Back, including spine ☐ Genitalia, groin, buttocks ☐ Each extremity				
⋖	Organ systems:	system		,	0,0100
ш	□ Constitutional □ Ears,nose, mouth, throat mouth, throat leyes □ GI leyes □ Skin leyen/lymph/imm □ Hem/lymph/imm				
		PROBLEM FOCUSED	EXP.PROB. FOCUSED	DETAILED	COMPRE- HENSIVE

^{**}Complete PFSH: 2 history areas: a) Established Patients - Office (Outpatient) Care; b) Emergency Department.

3. Medical Decision Making

Number of Diagnoses or Treatment Options

Identify each problem or treatment option mentioned in the record. Enter the number in each of the categories in Column B in the table below. (There are maximum number in two categories.)

Number of Diagnoses or Treatment Options								
A B X C :								
Self-limited or minor (stable, improved or worsening)	Max = 2	1						
Est. problem (to examiner); stable, improved		1						
Est. problem (to examiner); worsening		2						
New problem (to examiner); no additional workup planned	Max = 1	3						
New prob. (to examiner); add. workup planned		4						
	•	TOTAL						

Multiply the number in columns B & C and put the product in column D. Enter a total for column D.

Bring total to line A in Final Result for Complexity (table below)

Amount and/or Complexity of Data Reviewed

For each category of reviewed data identified, circle the number in the points column. Total the points.

Amount and/or Complexity of Data Review					
Review and/or order of clinical lab tests	1				
Review and/or order of tests in the radiology section of CPT	1				
Review and/or order of tests in the medicine section of CPT	1				
Discussion of test results with performing physician	1				
Decision to obtain old records and/or obtain history from someone other than patient	1				
Review and summarization of old records and/or obtaining history from someone other than patient and/or discussion of case with another health care provider	2				
Independent visualization of image, tracing or specimen itself (not simply review of report)	2				
TOTAL					

Bring total to line C in Final Result for Complexity (table below)

Use the risk table below as a guide to assign risk factors. It is understood that the table below does not contain all specific instances of medical care; the table is intended to be used as a guide. Circle the most appropriate factor(s) in each category. The overall measure of risk is the highest level circled.

rhinitis, simple sprain

	Risk of Com	plications and/or Morbidity or Mortality	Enter the level of risk identified in Final Result for Complexity (table below).				
S	Level of	Presenting Problem(s)	Diagnostic Procedure(s) Ordered	Management Options Selected			
DECI	Minimai	One self-limited or minor problem, e.g., cold, insect bite, tinea corporis	Laboratory tests requiring venipuncture Chest x-rays EKG/EEG Urinalysis Ultrasound, e.g., echo KOH prep	RestGarglesElastic bandagesSuperficial dressings			
C A L	Low	Two or more self-limited or minor problems One stable chronic illness, e.g., well controlled hypertension or non-insulin dependent diabetes, cataract, BPH Acute uncomplicated illness or injury, e.g., cystitis, allergic	Physiologic tests not under stress, e.g.,pulmonary function tests Non-cardiovascular imaging studies with contrast, e.g., barium enema Superficial needle biopsies Clincal laboratory tests requiring arterial puncture	Over-the-counter drugs Minor surgery with no identified risk factors Physical therapy Occupational therapy			

- ith no identified risk factors erapy
- Clincal laboratory tests requiring arterial puncture Skin biopsies
- IV fluids without additives
- · One or more chronic illnesses with mild exacerbation, · Physiologic tests under stress, e.g., cardiac stress test, progression, or side effects of treatment Two or more stable chronic illnesses fetal contraction stress test Diagnostic endoscopies with no identified risk factors
 - Undiagnosed new problem with uncertain prognosis,
 - e.g., lump in breast Acute illness with systemic symptoms, e.g., pyelonephritis, pneumonitis, colitis
 - Acute complicated injury, e.g., head injury with brief loss of consciousness
 - One or more chronic illnesses with severe exacerbation,
 - progression, or side effects of treatment
 Acute or chronic illnesses or injuries that may pose a threat to life or bodily function, e.g., multiple trauma, acute MI, pulmonary embolus, severe respiratory distress, progressive severe rheumatoid arthritis, psychiatric illness with potential threat to self or others, peritonitis, acute renal failure
 - An abrupt change in neurologic status, e.g., seizure, TIA, weakness or sensory loss

Minor surgery with identified risk factors Elective major surgery (open, percutaneous or endoscopic) with no identified risk factors

- Prescription drug management Therapeutic nuclear medicine
- IV fluids with addititives
- Closed treatment of fracture or dislocation without manipulation
- Elective major surgery (open, percutaneous or endoscopic with identified risk factors) Emergency major surgery (open, percutaneous or
- endoscopic)
- Parenteral controlled substances
- Drug therapy requiring intensive monitoring for toxicity Decision not to resuscitate or to de-escalate care because of poor prognosis

Final Result for Complexity

Moderate

High

ш

⋝

Draw a line down any column with 2 or 3 circles to identify the type of decision making in that column. Otherwise, draw a line down the column with the 2nd circle from the left. After completing this table, which classifies complexity, circle the type of decision

making within the appropriate grid in Section 5.										
Final Result for Complexity										
Α	Number diagnoses or treatment options	≤ 1 Minimal	2 Limited	3 Multiple	≥ 4 Extensive					
В	Highest Risk	Minimal	Low	Moderate	High					
С	Amount and complexity of data	≤ 1 Minimal or low	2 Limited	3 Multiple	≥ 4 Extensive					
1	ype of decision making	STRAIGHT- FORWARD	LOW COMPLEX.	MODERATE COMPLEX.						

4. Time

Deep needle or incisional biopsy Cardiovascular imaging studies with contrast and no

identified risk factors, e.g., arteriogram cardiac cath

Obtain fluid from body cavity, e.g., lumbar puncture,

Cardiovascular imaging studies with contrast with

· Diagnostic endoscopies with identified risk factors

thoracentesis, culdocentesis

Cardiac electrophysiological tests

identified risk factors

Discography

If the physician documents total time and suggests that counseling or coordinating care dominates (more than 50%) the encounter, time may determine level of service. Documentation may refer to: prognosis, differential diagnosis, risks, benefits of treatment, instructions, compliance, risk reduction or discussion with another health care provider.

Does documentation reveal total time? Time: Face-to-face in outpatient setting Unit/floor in inpatient setting	Yes	No
Does documentation describe the content of counseling or coordinating care?	Yes	No
Does documentation reveal that more than half of the time was counseling or coordinating care?	Yes	No

If all answers are "yes", select level based on time.

5. LEVEL OF SERVICE

New Office, Outpatient and Emergency Room

		Requires 3	Req	uires 2 com	ponents with	in shaded	area			
4	PF	EPF	D	С	С					
History	ER: PF	ER: EPF	ER: EPF	ER: D	ER: C	Minimal problem	PF	EPF	D	С
	PF	EPF	D	С	С	that may not				
Examination						require	PF	EPF	D	С
	ER: PF	ER: EPF	ER: EPF	ER: D	ER: C	presence of				
Complexity	SF	SF	L	М	Н	physician				
of medical decision	ER: SF	ER: L	ER: M	ER: M	ER: H		SF	L	М	Н
Average time	10 New (99201)	20 New (99202)	30 New (99203)	45 New (99204)	60 New (99205)					
(minutes)						5	10	15	25	40
ER has no average time	ER (99281)	ER (99282)	ER (99283)	ER (99284)	ER (99285)	(99211)	(99212)	(99213)	(99214)	(99215)
Level	İ	II	III	IV	V	ı	II	III	IV	V

Note: Based on the 2021 AMA CPT changes, for dates of service on/after 01/01/2021, 99201 is deleted and the time component is removed for 99211. Office/Outpatient E/M service codes 99202-99205 and 99211-99215 are based on medical decision making or time. Please refer to the current CPT manual for redefined code descriptions and the AMA MDM grid at https://www.ama-assn.org/system/files/2019-06/cpt-revised-mdm-grid.pdf

Hospital Care	Initial H	Hospital/Obser	/ation	Subsequent Hospital/Observation Requires 2 components within shaded area			
	Requires 3	components within sh	aded area				
History	D/C	С	С	PF interval	EPF interval	D interval	
Examination	D/C	С	C	PF	EPF	D	
Complexity of medical decision	SF/L	М	Н	SF/L	М	Н	
Average time (minutes)	30 Init hosp (99221) 30 Init observ Care (99218)	50 Init hosp (99222) 50 Init observ Care (99219)	70 Init hosp (99223) 70 Init observ Care (99220)	15 Sub hosp (99231) 15 Sub observ care (99224)	25 Sub hosp (99232) 25 Sub observ care (99225)	35 Sub hosp (99233) 35 Sub observ care (99226)	
Level	Level I II III		I	II	III		

Nursing Facility Care		I Nursing F			osequent Nu ires 2 components	Requires 3 components within shaded area		
History	D/C	С	С	PF interval	EPF interval	D interval	C interval	D interval
Examination	D/C	С	С	PF	EPF	D	С	С
Complexity of medical decision	SF/L	M	Н	SF	L	M	Н	L/M
Average time (minutes)	25 99304	35 99305	45 99306	10 99307	15 99308	25 99309	35 99310	30 99318
Level	ı	II	III	ı	II	III	IV	

Domiciliary, Rest Home (eg, Boarding Home), or Custodial Care Services and Home Care

	Requires 3 components within shaded area					Requires 2 components within shaded area			
History	PF	EPF	D	С	С	PF interval	EPF interval	D interval	C interval
Examination	PF	EPF	D	С	С	PF	EPF	D	С
Complexity of medical decision	SF	L	М	М	Н	SF	L	М	M/H
Average time (minutes)							25 Domiciliary (99335) Home care (99348)		
Level	I	II	III	IV	V	ı	II	III	IV